



Features




- ◆ Intel® 8th Generation Core Processors
- ◆ 2 x SO-DIMM DDR4, Up to 32GB
- ◆ 1 x DP, 2 x HDMI, Supporting 4K Display
- ◆ 1 x mSATA, 1 x M.2(2242/2280) for SSD
- ◆ 5 x USB3.1, 1 x RS232
- ◆ 1 x RJ45, 1 x Mini-PCIe for mSATA/WiFi/3G/4G, 1 x SIM Slot

Specifications


RoHS CE FC CCC

		D68 i3	D68 i5
Processor	CPU	Intel® Core i3-8145U	Intel® Core i5-8259U
	Frequency	2.10 GHz (Up to 3.90 GHz)	2.30 GHz (Up to 3.80 GHz)
	BIOS	AMI Source Code	
	Chipset	SOC	
Memory	Type	DDR4-2133MHz	
	Socket	2 x SO-DIMM	
	Max Size	32GB	
Graphics	GPU	Intel® UHD Graphics 620	
	Graphic Engine	Direct3D 2015, OpenGL 5.0, OpenCL 2.1	
	DP	1 x DP (Max. 4096 x 2304 @60Hz)	
	HDMI2.0	1 x HDMI (Max. 4096 x 2304 @60Hz)	
	HDMI1.4	1 x HDMI (Max. 4096 x 2304 @24Hz)	
Network	Controller	Realtek 8111F Gigabit Ethernet	
	Interface	1 x RJ45	
I/O	USB	5 x USB 3.1	
	Display Interface	1 x DP, 2 x HDMI	
	LAN	1 x RJ45	
	Serial Port	1 x RS232	
	Audio	1 x MIC-IN, 1 x AUDIO-OUT	
	Mini-PCIe	1 x Full-size Mini-PCIe for mSATA/WiFi/3G/4G	
	M.2 (2230)	1 x M.2 (2230) for WiFi	
	M.2 (2242/2280)	1 x M.2 (2242/2280) for SSD	
	SIM	1 x SIM Slot	
	LED Indicators	1 x HDD LED, 1 x Power LED, 1 x IR LED	
Storage	mSATA	1 x Full-size mSATA	
	M.2	1 x M.2 (2242/2280) for SSD	
JAHC Tech	WatchDog Timer	0~255 Second Time Out Support	
	Auto Power On	Power Activated Automatically Start	
	Remote Control	By IR Controller for Power On	
	RTC	Set Up Independently Every day, A Week as a Cycle	
	Wake On Lan	Yes	
Operation System	Windows	Windows 10 (64-bit)	
	Linux	Supported	


		D68 i3	D68 i5
Power	Power Type	DC-IN	
	Input Voltage	19V	
Mechanical	Dimensions (W x D x H)	189.6mm x 148.3mm x 26mm	
	Construction	Metal	
	Mounting(Optional)	Desk/Wall Mounting and VESA Mounting Kit (JZ183)	
	Color	Black	
Environment	Operating Temperature	0°C ~ 40°C (32 F ~ 104 F) at 0.7m/s Air Flow	
	Relative Humidity	95% @ 40°C (non-condensing)	
Certification	Certification	CE, FCC Class B, CCC	




Front Panel
External I/O




Left Panel
External I/O



Rear Panel
External I/O



Right Panel
External I/O



The product appearance, specifications and features are subject to change. Giada reserves the right of final interpretation for the content hereinabove.

versions: v1